



City of Rochester

Department of Environmental Services
414 Andrews Street
Rochester, New York 14604-1493
www.cityofrochester.gov

Bureau of
Architecture and
Engineering

June 23, 2013

ADDENDUM NO. ONE

PROJECT TITLE: Blue Cross Arena Hockey Rink Dasher Board Replacement

PROJECT NO.: 14054


Invitation to Bid No. 402280

Instruction to Bidders:

1. **MODIFY** the Contract Documents and/or Drawings as set forth in the attached Modifications Page AD-1
2. **SIGN** this Addendum below acknowledging receipt and understanding, **INSERT** it in the bidding document, and **RETURN** it with your bid.

Date of bid opening is hereby changed to **Wednesday, July 2, 2014**, same time and place.

CITY OF ROCHESTER


 Vincenzo Giordano, R.A.
 Managing Architect

CITY OF ROCHESTER


 Charles Zettek, Jr.
 Purchasing Agent

The undersigned bidder acknowledges receipt and understanding of ADDENDUM NO. 1.

Date _____, 2014

Name of Company

Authorized Signature

G:\DIV\ARCH\ARCHFORM\GENFORMS\Addendum ONE.6.11.2014.doc



Addendum No. One

Modifications Page AD-1

1. ADD – to Specification Page 13180-6, 2.04 System Description for Base Bid Requirements:

L. Spectator Shielding

1. Provide New 'CrystaPlex® 590 Plus' 96" wide X 72" high Acrylic for sides of rink.

NOTE: the nominal thickness is .590", with a tolerance of -0.05", plus .030";

2. Provide New 'CrystaPlex® 590 Plus' 60" wide X 96" high Acrylic for ends of rink.

NOTE: the nominal thickness is .590", with a tolerance of -0.05", plus .030";

3. All corners to be radiused and edges to be eased.